



Kontech®

Kontech Solar TV was designed under super low power consumption to work with Solar Systems. The product is energy saving with less than 10W, testing under maximum sound & brightness Setting . With a build-in TV system of DVB-T2/S2, it is perfect to work in both Africa and European market.

Ultra low power consumption

- 15,6inch ,21.5inch and 23,6 inch < 10 W
- 32 inch <15W
- DVB-T2/S2

DC Input

Standard 12V DC input can work with Batteries
5V/2A Design for special project if needed.



Kontech[®]

KONTECH ELECTRONICS CO.,LTD

Tel:0755-27547653 / 28982666 Web:www.kontech.com.cn

Add:No.30,Langkou Industrial Park,Longhua New District,Shenzhen,China




Kontech®



KONTECH ELECTRONICS CO.,LTD

Tel:0755-27547653 / 28982666 Web:www.kontech.com.cn

Add:No.30,Langkou Industrial Park,Longhua New District,Shenzhen,China



Wide viewing angle

- 15,6 inch 90° (H)/ 60° (V) or 170° (H)/ 160° (V)
- 21.5inch, 23.6inch, 32inch 178° (H)/ 178° (V)

Bluetooth function

Additional Bluetooth function enable product
To connect with sound bar and cell-phones.



PANEL SPEC		USER CONVENIENCE	
Aspect ratio	16:9	Teletext Page	1000 page for European market only
Resolution	See parameter table	Sleep Timer	240Mins
Contrast ratio	3000:1	Zoom	YES
Brightness	30-70nits	IP rating	65
Viewing angle	See parameter table	Orientation	Landscape or Portriat
Response time	8ms	Usage time per day	16 hours
Glass or silver mirror	YES	Cooling system	Fans
COSMETIC		Brightness adjustment	setting in OSD
Cabinet Color	Black	CONNECTORS	
Tempered glass	Yes	AV Input	YESx1
SOLUTION		VGA in	YESx1
Support MPEG4	YES	HDMI	YESx2
Built-in Tuner	DVB-T2/S2/C or ATSC	YPbPr	YESx1
Color System	Secam/PAL or NTSC	Scart	Optional
Sound System	B/ G,D,K ,L / M/N	CI slot	Optional
Program No.	YES,1000	USB2.0	YESx1
PICTURE		PC Audio in	YESx1
Comb Filter	3D	Earphone	YESx1
De-interlace Scan/Progressive Scan	3D	Tuner	YESx1 for US , 2 for Africa and European
OSD Language	English/French /Spanish etc	Coaxial	YESx1
SOUND		RS232 input	YESx1
Nicam/A2 or BTSC/MTS	YES	IR input	YESx1
AV Stereo	YES	POWER SUPPLY	
Surround system	YES	Power Supply	AC 100-240V
Tone Control (Bass/Treble/Balace)	YES	Stand by power	<0.5W
User Selectable Sound Control	YES	ACCESSORIES	
Built-in speaker	YESx2	Instruction Book	YESx1
Audio output power	2x5W or 2X10W	Remote control with battery	YESx1
REGULATORY STANDARDS		Power cable	YESx1
		Certificate	TBD



Parameter :

Product Model	Product Size	Resolution	Visual Angle	Packaging Size	Loading Quantity (40HQ/40FT/20FT)
SL15H3	15.6"	1366 X 768	H:90° , V : 60° or H:170° , V : 160°	443x116x309mm	3952/3458/1729pcs
SL20D5	19.5"	1366 X 768	H:170° , V : 160°	490x118x357mm	2736/2736/1254pcs
SL22D5	21.5"	1920 X 1080	H:178° , V : 178°	572x124x410mm	2160/1800/900pcs
SL24D5	23.6"	1920 X 1080	H:178° , V : 178°	632x124x445mm	1620/1620/810pcs
SL32D5	32"	1366 X 768	H:178° , V : 178°	730x69x433mm	1120/896/448pcs
SL40D5	40"	1920 X 1080	H:178° , V : 178°	632x124x445mm	704/528/240pcs



KONTECH ELECTRONICS CO.,LTD

Tel:0755-27547653 / 28982666 Web:www.kontech.com.cn

Add:No.30,Langkou Industrial Park,Longhua New District,Shenzhen,China